

＜固定資産評価基準 別表第15（耐用年数に応ずる減価率表）＞（抜粋）

耐用 年数	減価率 （ r ）	減価残存率	
		前年取得 （1- r /2）	前年前取得 （1- r ）
-			
2	0.684	0.658	0.316
3	0.536	0.732	0.464
4	0.438	0.781	0.562
5	0.369	0.815	0.631
6	0.319	0.84	0.681
7	0.28	0.86	0.72
8	0.25	0.875	0.75
9	0.226	0.887	0.774
10	0.206	0.897	0.794
11	0.189	0.905	0.811
12	0.175	0.912	0.825
13	0.162	0.919	0.838
14	0.152	0.924	0.848
15	0.142	0.929	0.858
16	0.134	0.933	0.866
17	0.127	0.936	0.873
18	0.12	0.94	0.88
19	0.114	0.943	0.886
20	0.109	0.945	0.891
21	0.104	0.948	0.896
22	0.099	0.95	0.901
23	0.095	0.952	0.905
24	0.092	0.954	0.908
25	0.088	0.956	0.912
26	0.085	0.957	0.915
27	0.082	0.959	0.918
28	0.079	0.96	0.921
29	0.076	0.962	0.924
30	0.074	0.963	0.926
31	0.072	0.964	0.928
32	0.069	0.965	0.931
33	0.067	0.966	0.933
34	0.066	0.967	0.934
35	0.064	0.968	0.936
36	0.062	0.969	0.938
37	0.06	0.97	0.94
38	0.059	0.97	0.941
39	0.057	0.971	0.943
40	0.056	0.972	0.944
41	0.055	0.972	0.945
42	0.053	0.973	0.947
43	0.052	0.974	0.948
44	0.051	0.974	0.949
45	0.05	0.975	0.95
46	0.049	0.975	0.951
47	0.048	0.976	0.952
48	0.047	0.976	0.953
49	0.046	0.977	0.954
50	0.045	0.977	0.955
51	0.044	0.978	0.956
52	0.043	0.978	0.957
53	0.043	0.978	0.957
54	0.042	0.979	0.958
55	0.041	0.979	0.959
56	0.04	0.98	0.96
57	0.04	0.98	0.96
58	0.039	0.98	0.961
59	0.038	0.981	0.962
60	0.038	0.981	0.962